



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : A23D 9/007, 9/04, A23L 1/221, 1/36, 1/39		A1	(11) International Publication Number: WO 98/47386
			(43) International Publication Date: 29 October 1998 (29.10.98)
(21) International Application Number: PCT/EP98/02269 (22) International Filing Date: 15 April 1998 (15.04.98) (30) Priority Data: 97201188.6 24 April 1997 (24.04.97) EP (34) Countries for which the regional or international application was filed: NL et al. (71) Applicant (for all designated States except AU BB CA CY GB GH IE KE LK LS MN MW NZ SD SG SZ TT UG): UNILEVER N.V. [NL/NL]; Weena 455, NL-3013 AL Rotterdam (NL). (71) Applicant (for AU BB CA CY GB GH IE KE LK LS MN MW NZ SD SG SZ TT UG only): UNILEVER PLC [GB/GB]; Unilever House, Blackfriars, London EC4P 4BQ (GB). (72) Inventors: GUBLER, Gregor; Lipton-Sais, Grafenau 12, CH-6301 Zug (CH). MACMILLAN, Joanna, M., S.; Lipton-Sais, Grafenau 12, CH-6301 Zug (CH). VAN OOSTEN, Cornelis, Willem; Unilever Research Vlaardingen, Olivier van Noortlaan 120, NL-3133 AT Vlaardingen (NL).		(74) Common Representative: UNILEVER N.V.; Patent Dept., P.O. Box 137, NL-3130 AC Vlaardingen (NL). (81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.	
(54) Title: POURABLE FAT COMPOSITIONS CONTAINING A THICKENER			
(57) Abstract			
Pourable fat compositions, provided with thickeners having a good closed-shelf life are obtained, if the compositions have the following composition: 0-45 wt.% herbs, spices, nuts or seeds; 5-60 wt. % of thickener; 0-5 wt.% of emulsifier; 0-10 wt.% of milk proteins; 0-10 wt.% of egg yolk powder; 1-10 wt.% salt; 50-89 wt.% of fat blend, comprising: (i) 90-99.8 wt.% liquid oil; (ii) 10-0.2 wt.% hard fat, that can form crystal network; 0-20 wt.% of flavour-compositions.			

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

POURABLE FAT COMPOSITIONS CONTAINING A THICKENER

Fat-compositions that contain herbs and/or spices are known in the prior art (c.q. US 4,572,836). However so far these
5 compositions are only known as pastes, or other non-pourable herbs-dispersions, wherein the fats applied in the paste have high trans-contents; these products contain high levels (>12%) of cooking salt and other inorganic or organic salts for microbiological keepability and taste
10 boosting effect reasons.

Therefore no solution existed for a long felt need, i.e. a fat product, that could be handled easily, e.g. by being in a pourable form, which contained high concentrations of herbs, spices, nuts, cheese and/or seeds and low
15 concentrations of the unhealthy trans-fats, while its closed shelf life was at least 6 months.

In EP 21 483 it is disclosed that flavor enhancing materials in the form of ionic salts, such as sodium
20 chloride can be incorporated in liquefiable fats if they are first micronised to a particle size of 1-10 microns. In that instance compositions can be obtained, which are stable for more than 2 hours. Incorporation of a hardstock fat can increase the stability to about 6 months. Examples
25 of hardstock fats mentioned are fully hydrogenated normally solid fatty triglycerides with an IV <15. These hardstocks can contain fatty acid residues with 12-22 C-atoms. Examples of hardened oils are given on p.8, 1.3-8, however this listing does not include hardened rape seed oils.
30 Although the disclosure of this document is very generic in the definition of the flavor enhancing component, it is also clear from this document that the only flavor

enhancing components, that were actually considered, are ionic salts. Therefore this document does not provide directions how to come to pourable fat compositions with very high contents of herbs and/or spices, that would be 5 stable for long periods of time (= having long closed shelf life).

From WO 94/08470 salad dressings are known, wherein the fat phase can contain a hardened rapeseed oil component. The 10 dressing further can contain up to 4 wt% of a herb or spices. As this reference relates to water-containing dressings, this document does not provide a solution for systems wherein no waterphase is present and that contain high amounts of herbs and/or spices.

15

In our co-pending European patent application 96202913.8 we disclosed a fat-composition that fulfils all above requirements. So accordingly above EP patent application concerns a pourable fat-composition, that is ambient- 20 stable, and wherein the fat-composition comprises:

10 - 45 wt % of herbs, spices, nuts and/or seeds

0 - 20 wt % of cheese particles

1 - 10 wt % of an edible salt

50 - 89 wt % of a fat blend, comprising:

25

(i) 90 - 99.8 wt % of liquid oil

(ii) 10 - 0.2 wt % of a hard fat component, that has the ability to form a crystal network in the endproduct, preferably being hardened high erucic rapeseed oil, while the total-composition is 30 flavoured by the presence of 0.5 - 5 wt % on total composition of flavour-ingredients.

Above compositions are substantially free of trans fatty acids. In fact the amounts of trans acids are less than 5 wt%, preferably less than 0.5 wt%. (Calculated on total fatty acid content.)

- 5
- Although above compositions can be applied successfully in many application these compositions are unsuitable for application in products like Ready-to-use Roux; Ready-to-use brown or white sauces or Ready-to-use Sauce
- 10 Hollandaise, optionally obtainable by adding an aqueous liquid and applying heat. In order to make them suitable for those applications it was found that a thickener should be incorporated in the compositions according to EP 96202913, while the amount of spices, herbs, nut and/or
- 15 seeds could be lowered or could even be absent.

The novel products according to the invention therefore comprise pourable fat compositions, that are ambient-stable, wherein the fat-composition comprises:

- 20 0 - 45 wt % of herbs, spices, nuts and/or seeds
5 - 60 wt % of a thickener, in particular selected from natural or modified starches, natural or modified gum
0 - 10 wt % of milk proteins
0 - 10 wt % of egg yolk powder
- 25 0 - 5 wt % of emulsifier
0 - 35 wt % of meat-extract or gravy flavour
1 - 10 wt % of an edible salt
30- 89 wt % of a fat blend, comprising:
- (i) 90 - 99.8 wt % of liquid oil
- 30 (ii) 10 - 0.2 wt % of a hard fat component, that has the ability to form a crystal network in the

endproduct, preferably being hardened high erucic rapeseed oil,

while the total-composition is flavoured by the presence of 0 - 20 wt % on total composition of flavour-ingredients.

5 The thickener is suitably selected from natural or modified starches, such as natural wheat flour, modified starch e.g. Col Flo 67® (from National Starch), natural or modified gums, such as carrageenan gum, guar gum, xanthan gum, locust bean gum etc. Gelatin from any source can also be
10 used as thickener.

The milk-proteins can be added as skimmed milk powder, but also as full milk powder. The amount used preferably ranges from 1-8 wt%, in particular from 2-6 wt%.

15

The egg-yolk powder can be dried natural egg-yolk, but can also be an enzymically modified egg-yolk powder, such as (spray)dried egg-yolk powder stabilised using an enzyme having phospholipase A2 activity.

20

The meat-extract or the gravy flavour is typically present in the brown sauces. Typical amounts being 2-28 wt%.

The composition can be stabilised by addition of low
25 amounts of preservatives, such as 0.05-2 wt % of sorbic acid or salts hereof.

The products as disclosed above can be mixed up with hot water, hot milk, stock, or other hot aqueous liquid, i.e.

30 having a temperature of >80°C, preferably 85-99°C, in particular 90-95°C, without having lumping or caking problems. The amount of water, milk, or aqueous liquid that

can be used depends on the thickness and taste requirements of the user, but in fact no limitations exist hereon. Typical dillution rates are 1 part of the composition as described above and 3 to 8 part, preferably 4-6 parts of 5 aqueous liquid. After the mixing of the ingredients the composition should be kept at the high temperature for some minutes for cooking purposes and to ensure thickness.

Alternatively, the composition as disclosed above may be 10 added to a cold aqueous liquid (e.g. water, wine, milk, stock, etc.), whereafter heat should be applied sufficiently to achieve a thickening effect.

Herbs are defined in The Illustrated Herbal Handbook by J. 15 de Baïracli Levy, Faber and Faber Ltd., London, chapter 3. Spices are defined in "The Book of Spices", Livingstone Publ. Comp. 1969, p. 3.

The amount of herbs and/or spices preferably is 10 - 45 20 wt %, more preferably 20 - 30 wt %. The amount of nuts and/or seeds is preferably 10-20 wt %, more preferably 12-15 wt %.

The herbs and spices may be used as frozen herbs or spices, 25 containing 10 - 95 wt % of water. Preferred herbs are selected from the group, consisting of sage, rosemary, basil, thymian, oregano, dill, parsley, garlic, onion, savory, majoram, dragon, red/green/yellow pepper and mixtures thereof known as Provencal and Italian, while the 30 spices are selected from the group, consisting of black and white pepper, nut meg, mace, curry, curcuma, saffron, clove and mixtures thereof.

The edible salt can be derived from inorganic or organic acids or bases. The most preferred edible salt is NaCl. The preferred amount is 2 - 7 wt %.

5

The fat phase can contain small amounts of surfactants (up to 2 wt%). Suitable surfactants are e.g. mono/diglycerides-mixtures, but in general any known surfactant can be applied.

- 10 The fat blend is present in our compositions in an amount of 40 - 89 wt %, preferably 60 - 85 wt %, more preferably 70 - 80 wt %.

The liquid oil, which is applied in amounts of 90 - 99.8
15 wt % in these fat blends can be selected from the group, consisting of: sunflower oil, high oleic sunflower oil, rapeseed oil, safflower oil, high oleic safflower oil, soyabean oil, coconut oil, maize oil, cotton seed oil, arachidic oil, olein-fractions of natural oils, such as
20 palm oil olein, MCT - oils. The oil displays a solid fat content (NMR-pulse, not-stab.) of less than 10 % at 20 ° C. Preferably the amount of liquid oil is 93 - 99, most preferably 95 - 98 wt % in the fat blend.

- 25 The hard fat component of these blends must have the ability to form a crystal network in our compositions. This requirement is essential if stable compositions, wherein the herbs and/or spices are to remain dispersed during the shelf life of the compositions, are aimed for. Examples of
30 suitable fats are hardened rapeseed oil, hardened sunflower seed oil, hardened soybean oil, hardened palm oil, hardened cottonseed oil or mixtures thereof. The best results were

obtained, by using hard fats, having an I.V. < 10, preferably containing > 40 wt % of C₂₀ - saturated fatty acids. A most preferred hard fat is fully hardened, high erucic rapeseed oil (Rp-70).

5

The pourable character of our compositions is guaranteed when the fat blend of liquid oil and 1-5 wt% hard fat-component has an apparent viscosity at 5 °C of 100-500 m.Pa.s. after storage for 5 days at 5 °C, at a shear of 200
10 s⁻¹. The apparent viscosity at 20 °C being suitably between 50 and 300 m.Pa.s.

The apparent viscosity is measured with a Physica UM-MC-100 viscometer on a sample of about 20 ml of liquid oil,
15 containing 1-5 wt % of the hard fat-component. The blend is first stored for 5 days at measurement temperature, whereupon it is subjected to a shear of 200 s⁻¹. The viscosity is measured after 2 min. shearing.

20 The flavour-component can be selected from etherical oils, natural or nature-identical flavour components or even artificial flavour compositions. Our compositions can be made by known techniques. Suitable procedures involve the preparation of a premix of liquid oil and hard fat, using
25 two A-units. After mixing of the oil and hard fat at 70-85 °C the mix can be transferred through an A1-unit, using an exit temperature of 0-10 °C and subsequently through an A2-unit, using a lower exit temperature of -8 to 5 °C. The ingredients can be added in one batch to the oil or can be
30 added in different batches to the fat mix during different phases of the process.

However we prefer to apply a process, wherein a cooling step is applied on the mixture of ingredients in the oil, prior to the addition of the hard fat component. In this way a better crystal network of the hard fat component can be established as a result of the addition of the hard fat component at a lower temperature. The thickener is usually mixed with part of the liquid oil which is optionally preheated. Therefore our invention also concerns a process for the preparation of our pourable fat-compositions, according to which process,

- (i) thickener is mixed with part of the liquid oil, which optionally is preheated
- (ii) the mix, resulting of (i) is optionally heated at 70 - 85 °C for 2 - 10 min.
- 15 (iii) the mix, resulting from (i) or the heated mix, resulting from (ii) is cooled to a temperature of maximum 25 °C.
- (iv) the rest of the liquid oil is mixed with the hard-fat component at a temperature below 30 °C
- 20 (v) the products from (iii) and (iv) are mixed under the addition of the remaining components resulting in the product according to claims 1 - 9.

25

It was found, that the best ambient-stability was obtained, if in step (ii) the mix obtained in step (i) is heated to 70 - 85 °C for 2 - 10 min, preferably 4 - 8 min.

30 The mixing according to step (iv) can be performed by any conventional mixing technique. However it was found that

the best dispersions were obtained if this mixing was performed in a votator (= scraped surface heat-exchanger).

5. EXAMPLES

1. 280 g. of sunflower oil was heated to 80 °C. 100 g. of deepfrozen (- 20 °C) basil were added to this mix. The temperature was maintained at 75 °C for 5 min. by heating.
10 The mixture obtained is cooled, while stirred, to 12 °C in about 10 min.
A mixture of 120 g. fat (composition: 92% sunflower oil and 8% hardened rapeseed oil m.pt. 70 °C) and 8 g. of Basil etheric oil (ex Tastemaker, art. no. KT 0117) as flavour
15 ingredients and 24 g. NaCl were added to the mixture at 12 °C. An additional stirring during 10 min. was performed.
The product was collected.
- 20 2. The procedure of example 1 was repeated, however applying hardened sunflower oil m.pt. 69 °C in stead of hardened rapeseed oil m.pt. 70 °C. The amount of hardened sunflower oil was 4 wt% on total oil.
- 25 Above fat was applied for the preparation of compositions containing 44 wt% Dille or 44 wt% of a Provencal mix (=a mix of Marjoram herbs, Thyme herbs, Basil herbs, Rosemary herbs and Garlic paste in wt-ratio: 12.5: 2.5: 3.5: 2.5: 4.0).
- 30 The products obtained had acceptable properties, but were somewhat viscous and wither.

3. The procedure of example 2 was repeated, however using hardened rapeseed oil m.pt.70 °C in stead of hardened sunflower oil in an amount of 3 wt% on total oil.

5

The products obtained were not viscous and were not wither, so the products performed better than the products of example 2.

10 4. The procedure of example 3 was repeated, however applying a fat consisting of 25 wt% olive oil and 75 wt% sunflower oil.

The hardened rapeseed was used in an amount of 2.5 wt%.

15 Dille was applied as herb.

The product obtained displayed excellent properties.

5. Preparation of a liquid brown base sauce.

20

The following dry ingredients were mixed with the fat base and the liquid oil in the amounts indicated.

Ingredient	wt %
25 onion flavour	0.12
thickener-mixture	0.44
caramel powder	0.80
meat extract dried	1.16
30 milk protein	3.77
Col Flo (mod starch from NSC)	6.28
wheat flour	9.66

Gravy flavour (dried) 26.08
sunflower oil 3.40
pourable composition of example 3 without the herbs 48.3

5 Mixing of 140 ml of this composition with 1 l of water resulted in the finished sauce.

6. Preparation of a white liquid base sauce.

10 The following dry ingredients were mixed with fat base and liquid oil.

Ingredient	amount in wt%
15 lactose	0.64 %
chicken flavour	0.99
Sauce Hollandaise dry flavour	1.71
skimmed milk powder	3.30
milk protein	3.64
20 instant wheat flour	3.64
coffee whitener	4.16
Col Flo (Nat starch)	6.60
Sauce flavours (dried)	11.19
sunflower oil	4.76
25 fat base from example 5	52.38

120 ml of this composition were mixed with 1 l full fat milk to provide the finished product.

7. Liquid Hollandaise base sauce

The following ingredients were mixed in the amounts indicated.

5		
	Ingredient	amount wt%
	butter flavour	0.13
	citric acid	0.16
10	wheat flour	0.21
	thickener mixture	1.29
	sugar	1.17
	full milk powder	2.64
	coffee whitener	2.76
15	Dried Hollandaise sauce flavour	7.43
	Col Flo (Nat Starch)	8.75
	egg yolk powder (stabilised)	4.13
	salt	1.98
	fat base of example 5	69.57

20

8 Preparation of liquid Roux

25 500 g of the fat base as made in example 5 were mixed with 500 g of Dalgety flour M 2200 (ie a physically modified wheat flour). The resulting product was used to bind stock to make a Veloute by mixing with the stock and bring back to boil and simmering shortly in dillution with. Dillution
30 rate: 100 g sauce base in 1 liter stock.

9. Preparation of liquid binder

450 g of Col Flo (from Nat Starch Comp) were mixed with 550 g of the fat base of example 5.

- 5 The resulting mixture was applied for the preparation of sauces after mixing it with hot water and bringing it back to the boil (1 part binder, 10 parts water).

10. Brown sauce

10

A mixture was prepared containing 50 wt% of the fat mixture as in Example 3 which was mixed with the following dry ingredients:

15 Ingredient	amount wt%
Dalgety flour M2250	23.5
Colflo 67 (National Starch)	4.4
Lygomme KH6 (gum mixture)	0.32
20 salt	3.1
Flavouring composition	17.92
Bolec M (lecithine)	0.76
fat phase according to example 3	50.0

25

The resulting mixture was applied for the preparation of sauces after mixing it with hot water (dillution: 1 part concentrate, 6 parts water), bringing back to the boil and simmering for 3 minutes.

30

11. Curry sauce

A mixture was prepared containing 54 wt% of the fat mixture as in Example 3 which was mixed with the following dry ingredients:

5 Ingredient	amount wt%
Colflo 67 (National Starch)	10.0
wheat starch	15.0
Sugar	8.8
salt	3.0
10 Flavour composition	9.7
fat phase according to example 3	53.5

The resulting mixture was applied for the preparation of 15 sauces after mixing it with hot water (dillution: 1 part concentrate, 4 parts water), bringing back to the boil and simmering for 3 minutes.

20 12. White sauce

A mixture was prepared containing 60 wt% of the fat mixture as in Example 3 which was mixed with the following dry ingredients:

25 Ingredient	amount wt%
wheat starch	11.0
Colflo 67	11.0
creamer	10.0
salt	2.3
30 dried stabilised egg yolk	1.6
Flavour composition	2.5
Emultop (lecithin)	1.6

fat phase according to example 3 60

The resulting mixture was applied for the preparation of 5 sauces after mixing it with hot water (dillution: 1 part concentrate, 5 parts water), bringing back to the boil and simmering for 3 minutes.

Claims

1. Pourable fat-composition, that is ambient-stable, wherein the fat-composition comprises:
 - 0 - 45 wt % of herbs, spices, nuts and/or seeds
 - 5 - 60 wt % of a thickener, in particular selected from natural or modified starches, natural or modified gums and gelatins
 - 0 - 10 wt % of milk proteins
 - 0 - 10 wt % of egg yolk powder
 - 0 - 5 wt % of emulsifier
 - 0 - 35 wt % of meat-extract or gravy flavour
 - 1 - 10 wt % of an edible salt
 - 30- 89 wt % of a fat blend, comprising:
 - (i) 90 - 99.8 wt % of liquid oil
 - (ii) 10 - 0.2 wt % of a hard fat component, that has the ability to form a crystal network in the endproduct, preferably being hardened high erucic rapeseed oil,while the total-composition is flavoured by the presence of 0 - 20 wt % on total composition of flavour-ingredients.
2. Pourable fat-composition according to claim 1, wherein the herbs and/or spices are frozen fresh herbs and/or spices, containing 10 - 95 wt % of water.
3. Pourable fat-composition according to claims 1 or 2, wherein the herbs are selected from the group, consisting of sage, rosemary, basil, thymian, oregano, dill, parsley, garlic, onion, savory, majoram, dragon, red/green/yellow pepper and mixtures thereof known as

Provençal and Italian, while the spices are selected from the group, consisting of black and white pepper, nut meg, mace, curry, curcuma, saffron, clove and mixtures thereof.

4. Pourable fat-composition, according to claim 3, wherein the salt is NaCl.
5. Pourable fat-composition, according to claim 1, wherein the liquid oil is selected from the group, consisting of: sunflower oil, high oleic sunflower oil, safflower oil, high oleic safflower oil, soyabean oil, maize oil, cotton seed oil, arachidic oil, olein-fractions of natural oils, such as palm oil olein, MCT - oils.
6. Pourable fat-composition according to claim 5, wherein the oil displays a solid fat-content (NMR-pulse; not-stab.) of less than 10 % at 20 °C.
7. Pourable fat-composition according to claims 1 - 6, wherein the hard fat has an Iodine value of less than 10 and contains preferably more than 40 wt % of C₂₀₊ - saturated fatty acids.
8. Pourable fat-composition according to claims 1 - 7, wherein the fat blend of liq. oil and 1-5 wt % hard fat-component has an apparent viscosity at 5 °C of 100-500 m.Pa.s. after storage for 5 days at 5 °C, or at 20 °C of 50-300 m.Pa.s. after storage for 5 days at 20 °C, both at a shear of 200 s⁻¹.

9. Pourable fat-composition according to claim 1, wherein the flavour-component is selected from etherical oils, natural or nature-identical flavour components.
10. Process for preparing a pourable fat-composition according to claim 1-9, wherein:
- (i) thickener is mixed with part of the liquid oil, which optionally is preheated
 - (ii) the mix, resulting of (i) is optionally heated at 70 - 85 °C for 2 - 10 min.
 - (iii) the mix, resulting from (i) or the heated mix, resulting from (ii) is cooled to a temperature of maximum 25 °C
 - (iv) the rest of the liquid oil is mixed with the hard-fat component at a temperature below 30 °C
 - (v) the products from (iii) and (iv) are mixed under the addition of the remaining components resulting in the product according to claims 1 - 9.

INTERNATIONAL SEARCH REPORT

National Application No.

PCT/EP 98/02269

A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 A23D9/007 A23D9/04 A23L1/221 A23L1/36 A23L1/39

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 A23D A23L

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	EP 0 536 976 A (BUNGE FOODS CORP) 14 April 1993 see page 3, line 33 - page 4, line 14 see claim 1	1-10
Y	WO 95 28849 A (US GOVERNMENT) 2 November 1995 see page 10, paragraph 3 see page 17, last paragraph - page 18, paragraph 1 see claims 1, 10-13, 18, 22	1-10

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

13 August 1998

Date of mailing of the international search report

21/08/1998

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Dekeirel, M

INTERNATIONAL SEARCH REPORT

International Application No.

PCT/EP 98/02269

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	WO 96 02151 A (UNILEVER NV ;UNILEVER PLC (GB)) 1 February 1996 cited in the application see page 9, line 14 - line 36 see page 10, line 23 - line 33 see page 11, line 4 - line 10 see claims 1,5,10-13 ---	1-10
P,A	EP 0 775 444 A (UNILEVER NV ;UNILEVER PLC (GB)) 28 May 1997 see the whole document ---	1-10
A	WO 96 29894 A (UNILEVER NV ;UNILEVER PLC (GB); BOT DAVID SIMON MARIA (NL); HARING) 3 October 1996 see page 4, line 26 - line 36 see page 5, line 14 - line 23 see page 6, line 11 - page 7, line 2 see example 4 see claims 1-12 ---	1
A	EP 0 486 936 A (NAT STARCH CHEM INVEST) 27 May 1992 see claims 1,8,9,16,17,20 ---	1
A	WO 92 07475 A (PROCTER & GAMBLE) 14 May 1992 see example 4 ---	1
A	EP 0 653 166 A (VER COOP MELKIND) 17 May 1995 see the whole document -----	1

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 98/02269

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 0536976	A	14-04-1993	US 5268191 A	07-12-1993
			CA 2079940 A	08-04-1993
WO 9528849	A	02-11-1995	AU 2425995 A	16-11-1995
			BR 9507574 A	09-09-1997
			CA 2188596 A	02-11-1995
			EP 0758198 A	19-02-1997
			US 5676994 A	14-10-1997
WO 9602151	A	01-02-1996	AU 2888595 A	16-02-1996
			CA 2194484 A	01-02-1996
			CZ 9700105 A	16-07-1997
			EP 0771151 A	07-05-1997
			HU 75906 A	28-05-1997
			JP 10505228 T	26-05-1998
			PL 318104 A	12-05-1997
			US 5508055 A	16-04-1996
EP 0775444	A	28-05-1997	CA 2188633 A	26-04-1997
WO 9629894	A	03-10-1996	AU 5497896 A	16-10-1996
			CA 2216531 A	03-10-1996
			CZ 9703036 A	18-03-1998
			EP 0817574 A	14-01-1998
			PL 322533 A	02-02-1998
			SK 129097 A	08-04-1998
EP 0486936	A	27-05-1992	AT 109625 T	15-08-1994
			AU 630308 B	22-10-1992
			AU 8781191 A	21-05-1992
			CA 2055856 A	20-05-1992
			DE 69103383 D	15-09-1994
			DE 69103383 T	15-12-1994
			DK 486936 T	21-11-1994
			JP 2597058 B	02-04-1997
			JP 4351601 A	07-12-1992
			US 5711986 A	27-01-1998
WO 9207475	A	14-05-1992	AU 9046591 A	26-05-1992
			CA 2093013 A	01-05-1992

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 98/02269

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9207475 A		EP 0557413 A	01-09-1993
		JP 6502310 T	17-03-1994
		NZ 240408 A	27-06-1994
		US 5215769 A	01-06-1993
EP 0653166 A	17-05-1995	NL 9301965 A	01-06-1995
		CZ 9402770 A	16-08-1995